

### State Pelo ### St	C G Search C N	/ Enrotein Edenoms Centres.	aiskallpinett.	<u> EHATÜĞANDEBINDING DOMAIN</u>	/316 page(s) [6310 row(s)]	csv - Export		Align. Align. Confidence	0 643 247 100	0 643 247 = 300	94.30 637 246 100	94.30 634 246 100	97.20 631 246 100	629 1 245 100	95.10 628 246 100 5	96.70 626. 246 100	89,80 622 246 100	95.90 611 245 100 257 11	63.30 592 245 100
Control Cont		se Links Editanso Edity		HOGENI REGERTORIA ER	Paline Search						P06212	P06212	P06211	908-552 Q29040	307-552 P06211	312-567 P06211-15-15-15-15-15-15-15-15-15-15-15-15-1	О9УНТЗ	26.17	P16058
Comparison Com		Inprarmatica ENCBI ENIO	المرادة الإنجازية الإنجازية عام المرادة الإنجازية عام المرادة الإنجازية عام المرادة الإنجازية الإنجازية المرادة المرادة المرادة	7 - Cestor poort HUMANIEST			_	Length Query Region	595 1-247	405	Chicken), 589	ma . 587	665	595	565 sm	009	inensis 349 e) (American	\$	622
Relationship Results Three states are the Supplemental Search in Source DB Supplemental Search in	ombaile@flanflanksn	ks Drook Eramies Co		Homo-saplens Hemiliv 24 KIFEN			ផ(អ)ថ្ងៃគ្រៅពង្រា	Destription	fer for (E.R.)		EB	ER	ILLER)	n (ER)	T.CER)	ER	or (ER)	or GER	EB
	So Bookmarks Tasks Help	rch (3) Shop DBookmar	Results	λίσε′3ΕΕσ¤Α''. Θτοαπινηπ.Η ΜπΗσΩΕΙΥΣΕΙΟΧΑ/ΓΙΑΜΟΧ	hreader ^{n:} Results	Source DB 🕙 columnier	12121313151617191912011		PSO RSA RR ID SWISS-PROT R03372	OP GenBank - AAD5327	NEO RSA ER DP SWISS-PROT P06212	RSO RSA TRE DIS SWITSS-PROT 091250	RSO RSA RR DP SWISS-PROT P19785	WISS-PROT	ESO ESA ER DE SWISS-PROT 090Z.IS	ESO REA TRE DE SWISS-PROT P06211	OP SWISS-PROT O9XHT3	RSO ESA RR DE SWISS-PROT O9TV98	OR SWISS-PROT P16058

Figure2A

Z	Cerome Centres Vervolgiment III DING DOMAIN	310 row(s)	csv → Export	717	Confidence	100	100	ž Š	100	001	100	100	100	100 See 100	601	100		00	8	100	100 1
C. Search	rotem Stem	/316 page(s) 6310 row(s)	CSV Y		Align.	232	256163		229	257			231	226	227	216	214	208	208	259	98
6	ry Chro	/3ii			Align. Score	0 256	256	0 256	0 255	0 255	0 255	0 254	0 254	0 254	0 253	0 253	0253	0 251	0 251 .	0 251	92
4 1	REPLOSE CHE	Peline Search		Pert Page	å 8√U	AAB66138.1 11.60 256	AAB53279.1 19	CAA05410.2 14.60 256	CAB00123.1 16.60 255	AAA81156.1 14.40 255	CAC42097.1 60.70 255	AAG15179.1 15.40 254	AAG15180.1 12.10 254	CAB00126.1 17.70 254	AAG24095.1 10.60 253	AAKS4128.1 15.30 253	CAC02968.1 16.40 253	AAG15138.1 15.90 251	AAL02466:1 15.90	AAB52312.1 15.40	16293.1 12
	LIMBEO	Pedir		Prev Page Peg	yet Cluster		1-15 AAB					ES AAG	W AAG						M AAL		9-207 CAA16293.1 12
	CINCBI CIMOUSE LIKET				Onery Target Region Region	240 195-419		15-247: 394-604	240 134-405	203 - 544			007-443 662	227 169 – 387		243 113-317	4-204	213 301 – 501	112 343-543	11 135-430	
1	ca Chico			<u>। स्</u> ।		424 29-240	164 75-222	614 . 15-	406 17-240	547 6-240	250 1-107	827 -1 S6S	408 30-239	412 11-23	399 , 34-239		482 4-2	534 18-213	216 . 18 212	430 1-241	6Z-Z - 0LZ
C	os · Clipharmatic Bi- zar - Lecotori		lext	। उट्टा उट्टा उट्टा	Organism Length	Caenochabditis delegans	報		1,01	Caenorhabditis elegans	Canis familiaris	Caenothabditis elegans	Caenorhabditis elegans		Caenorhabditis ·	Dirofilaria immitis 358	Salmo salar	Caenorhabditis elegans	Caccomabditis	Caenorhab ditis	Caenorhabditis
ত ি http://bpdprd07:38080/morpheus/2/Jsp/index_Jsp	Search is Shop Tebookmaks entools enfamilies elinpharmatica enhobitemouse Lika entranso entry entools entools in the Statum entools en		Prev Next	់ គេ) អៃ (ច	Description	Hypothetical protein (T2787	mineralocorticoid			A RR DP GeaBank AAA81156.1 Expothetical protein (CSGE1	ERbeta protein	nuclear receptor NHR-88	centor	Not given	sa <u>ra ne</u> GenBank AAG24095.1 Hypothetical protein	nnclear receptor	peroxisome proliferator ac	ы	Hypothetical protein C45E5	Hypothetical protein C03G6	Not given
107:38080/n	Search is Shop Tabookmarks at thip Results notice Sentia System Honios EXWITHALLYDBOXYIAMOXIEN	10	🕶 column for	2 12 12 12	Code	AAB66138.1	AAB53273.1	CAA05410.2 protein	CAB00123.1 Not given	AA81156.1	CAC42097.1	AAG15179.1	AAG15180.1	CAB00126.1	AG24095.1		CAC02968.1		AAL02466.1	AB52312.1	CAA16293.1
udpdq//:di	Sa Shop stulls stern saterna	hreader ^{na} Results		160 M	Source					3eaBank	JenBank (JenBank	3eaBank	3eoBank	Jean Bank	3eaBank	JenBank (3eaBaak /	GeoBank 1	JenBank /	JenBank (
	itscape & Search & Sh Relationship Results (Accession crow alental) INGOMPLES (VITES HA	Genome Threader	Searchin Source DB	5: Fleat 122 12	1 dailes	RSO RSA RR DP GeoBank	RSO RSA HR IPP GenBank	REO REA RR DP GenBank	88	RSO RSA RR DE	BSO RSA RR DP GenBank	RSO RSA RR DP GenBank	NSO NSA NR DP GenBank	NSO RSA HR DP GenBank	RSO RSA TOR DP	NSO RSA XR DP GeaBack AAK54128.1	RSO RSA RR DP GenBank CAC02968.1	RSO RSA RR DP GenBank AAG15138.1	RSO NSA RR DP GeoBank	TESO RSA RR DP GenBank AABS2312.1	RSO RSA RR DP


Figure 2B


Figure 2C

(2) (3) (3) (5) http://srs.eblac.uk/srs6bin/cgl-binw	(2) (3) (3) (3) (5) Shittp//srs.ebl.ac.uk/srs8bin/cgi-bin/wgetz?-id+3tCqWilajWP+-vn+38+-page+qResult+-qfrom+pageQuery+-5] (5) Search Ac	Nery- C & Search Co
ome Minerscape & Search 23 Shop: Cibooxinato Circums Craimes Chiquesianian	A Home Live in the Control of Con	
Query "([InterProScan-JobSerial	H	
n merchin InterProScan	Bk	
relected	Contracts	Znf_C4staraid Zn-finger, C4-type steroid znP_C4 steroid
SPIC 1 SP		
SRS	SRS 6.1.3 1 <u>feedback</u>	
See 19	The state of the s	The state of the s

Company of the compan
(2) (3) (4) (5) (5) (5) (6) (6) (6) (6) (7) (6) (7) (7) (7) (7) (7) (7) (7) (7) (7) (7
쇼 Home Fal Neiscape 및 Search ch Shop ElBookmarks, ElTools ElFamilies, Elipharmatica-EINCB ElMouss Links, Entransc EIPV ElPotein: ElGenome Centres
NCEI CD-Search Entre 17
RES-FLAST 2.2.2 [Dec-14-2001]
Quarys local sequence: gi q753768 cmb GAM5410.2 protein [Bono sepison] (514 letters)
Idetabase; casis, sep.vl.54 3893 PSSMs; 718,011 total columns
Mouse-over boxes to display more briormation
tob and the the the of t
rev 'STOW other proteins containing these domains
play structure, download Cn3D v3.00!
Scure B PSSMs producing algmittant alignments: (bits) walte
• gallSmartsmart00399 ZaP_C4, c4 zinc finger in nuclear bozmone receptors · <u>61.2</u> 22–10 • gallPiaminfam00105 ±f-C4, Zinc finger, C4 type (two domains). In ocardy all cases <u>56.6</u> 4c–09
O gollSmartismart00399, ZoF_C4, c4 zine finger in muclear hormode receptors
Add guery to multiple singument, display [up to 10 10 1 sequences most similar to the query
CD-Length = 73 residues, 94.5% aligned Score = 61.2 bits (147), Impact = 2s-10
quary: 304 lalvaddraschinvysklaynvysklaynvysklayndandlandarah. 360 Sdjot: 4 polvoddraschinapipatendulantinganahandlandarah. 63
Quary: 361 RILESINE 369 Shjet: 64 Kalevone 72
• pullytambifam00105, rf-C4, Zioc fiager, C4 type (two domains). In pearly all cases, this is the DNA binding domain of a nuclear hormone receptor. The alignment contains two Zioc finger domains that are too dissimilar to be aligned with each other.
Add query to multiple alignment, display [up to 10] sequences most similar to the query
OD-Length = 76 residues, 82.9% aliqued Score = 56.6 bits (135), Expect = 48-09
Query: 304 Lelividiaescrituvelearievepros-chatibed-frameniscrieskelad-li-360

F 1: CAA05410, protein [Hamo sap[gi4753768] ELMk, Nucleotide, Reliasd Sequences, PubMed, Tasmamy. Limitodi PERMITTER PROFESSION PROFESSION SEQUENCES, PROFESSION SECTION PROFESSION PROFESSION SEQUENCES, PubMed, Tasmamy. Limitodian Sequences, PubMed, PubMe	A. Home: El Neticage C. Search (Stript) El Bookmarks: El Tools: El Familles: El Inhamatica: El Mouse, Like: El Transo-Elfy-El Pratein. El Gendrife-Centres
CAAUS410 614 as orotein (Howo sariems).	I, Taxanamy. LinkOut
SUGEST. human. ORIGENTEM Rano septiens CRUSHYDEM Beleates (Bordeles), Craniates Vertebrates Duelbostanis Messalise, Publecies, Opterchini: Haminides Fano.	
TILE Fractions i to 614) **INTERESTRATE I for 614) **INTERESTRATE I STREET, Admin.** And Wildester, & TILE Fraction for the steroid/thyroid fraction management for the steroid/thyroid	
UNITERAL DAMEST Tablett. From: 20 (2), 94-102 (1996) EXTRACTOR 92623399 (1996) EXTRACTOR 1 (1994) EXTREMENT TO 1994 (1994)	
1000	
EXERTING 19 (19) (19) (19) (19) (19) (19) (19) (
. Direct Submary (1942) Banausek H. E., Carcinogenesis, University of Taxes 11.0, Anderson Canteer, P. O. Box 389, Saithville, Taxes, 18857, USA	
CONDENT. On Ney 5, 1999 this sequence version replaced gi: <u>EBITIB</u> . **PRANTERS*** Location/Qualiffiers - 514 - 514	
/organisms*Thmo sentims* //w.m.sefs*texms:90ks* //esh_lina*ing*:21g-7; //esh_lina*ing*:21g-7; //esh_lina*ing*:21g-7;	
Protein (614 6	
/coded_by=2.002455.2:61. 1905= 1 monanasput quavqrvorf sardkrpras ellasllvart cymplalvdv doddfastvr	
6 is kabra itfell deligiticke angal kilgulit pubblingspe kknawaddu vapeadatyg 113 vransbyteff diddelgifk Inslanderspering spanishyted ei lybresage 113 vransbyteff diddelgifk Inslanderspering spanishyted ei lybresage 113 vransbyteff diddelgifk Inslanderspering ei lanslanderspering diddensses 113 vransbyteg vergeldighe vergeldighe spering ei lanslanderspering einslanderspering einstelle einstanderspering einslanderspering einslanderspering einstalle einstanderspering einstanderspering einstanderspering einstanderspering ein versiche einstalle ein versiche ein versichte eine versichte versichte ein versichte eine versichte versichte eine versichte eine versichte versichte versicht	
41 isedigabby grāpvalibi shirbavggv eholydnick Krvipsvkvv kligkyvetir Ol tekehrase sytt	
Ravisech October 24, 2001.	








Figure 5D

Comment Call	TOTAL STATE OF THE	werr algranden	The state of the s	8 page(s) [157 row(s)]	csv 🕙 Export		Confidence	96	100	100)00C	100	8	100	100	100	100	100	100	100	160	100	100
S. Carpenter				8 page(s)	SS		Align	622	82	237	237	237	237	238	223	223	83	822	223	223	å 234	523	197
2	3	O CILIO		7	!		Align.	790 256	14.90 252	14.80 251	80 251	14.80 251	14.80 251	14.70 247	1QKU 1430243	1.30 243	14,30 243	14.30 243	14.30 243	1.30 243	1QKU 14.50 238 🖮 234	3.50 236	0.90 226
	1	20		Foline Sparch			Cluster 17 &	1QKU 14.60 256	10KU	1QKU 14	1QKU 14.80 251	1QKU 14	10KU 14	1QKU 14	10KU	1QKU 14.30243	10КП	10KU 14	1000	1QKU 14.30 243	1QKU 14	1QKAK 13.50 236	103-231- 11.BD. 10.90 226
		IKS 21K	ijon: protein	Z.			Inrget Region	15-247	6-238	16-246	20-230	17-247	17-247	17-248	235	19-235	.527 	19-235	403-600-19-235	19~23S	10-237	8-228	102-231-
		n esnow	g(p)				Leagth Query	394-66	200_1	394-602	28 28	38 1 86 28	38-38	394 - 603	603	403 - 600	009-609	009-E03	403 ~ 600	403-600	304 - 599.	395 - 599	865-598
			ant prof				Leagth	247	88	₹	250	742	247	888	235	235	235	235	S 82	235	723	230	232
			Micesia				Organism	Homo	Ношо	Homo	Homo	Homo	Ношо	Homo	Ното	Homo	Homo	Homo	Homo Tr	Homo	MA	Homo	Homo
The state of the s	Chttp://bpdprd07.38080/morpheus2/jsp/index.jsp	Search 3) Shop DBookmaks D100s. Dramues Dinphameura DNCol. ship Results	AAossi o 21. Organise - Homosaplans - Lengths ord - Decor		for Next	AST Page	Description	HUMAN ESTROGEN RECEPTOR AL	HUMAN ESTROGEN RECEPTOR AL.	BERDA HUMAN ESTROGEN RECEPTOR AL	TOKULA WILD TYPE ESTROGEN NUCLEAR.	10KUIB WILD TYPE ESTROGEN NUCLEAR	10KUIC WILD TYPE ESTROGEN NUCLEAR	10KT1A MUTANT ESTROGEN NUCLEAR RE	HUMAN ESTROGEN RECEPTOR IL.	HUMAN ESTROGEN RECEPTOR LL	HUMAN ESTROGEN RECEPTOR LL	HUMAN ESTROGEN RECEPTOR LL.	HUMAN ESTROGEN RECEPTOR LL.	HUMAN ESTROGEN RECEPTOR IL.	HOMOLOGOUS-EXTENSION-BASED.: N/A	10kmia human oestrogen receptor B	IFM9.A THE 2.1 ANGSTROM RESOLUTIO
	ard07:3808	p (CDBook	54:10.21. Cr	lts.	💌 column lor	E 1121314151617191 Last	Code	3ERTA H	3ERD.B H	KERD1A H	IOKUIA W	TOKUIB W	OKU1C W	10KT1A IN	IERE:A H	EREAB H	TEREIC B	TERE D	IEREÆ B	IEREAF H	1AKE	Y.	IEM9:A I
-	pdq//chi	Search Styleshies Ship Results	a. CAA0	Threader ^{na} Results	a DB	[3]4[5]	Source	$\overline{}$	1	PDB	EQ2	EQ.		ECT.	EQ.	BOS	T	EQ.		PDB	PDB+	PDB	PDB
		o 📑			entin Source DB		Links	ROA EE DE POB	RSO RSA RR DE PDB	RSO RSA RR DP PDB	RSO RSA RR DP PDB	RSO RSA RR DP PDB	RSO RSA NR DP PDB	RSO RSA RR DP PDB	RSO RSA RR DR PDB	RSO RSA RR DP PDB	RSO RSA RR DP PDB	RSO RSA RR DP PDB	ESO NSA RR IDP PDB	REO REA RR DP PDB	SO RSA RR DE	RSO RSA RR DP PDB	RSO RSA KR DP PDB
		A Home 때 Netscape 9	1	Genome	Searchin	PAGES: F		N N	A .	N.								Ž.			T.	Ž,	H

Rimine 6

Netacape Q. Search (3) Shi Relationship Results Active statis Galtrice Parke	A Home envelope Q Search (2) Shop I DBookmarks An Relationship Results Searches:	A	ab ista Descriptions prot	uj.				App.	Vertiligativert
RMOBI PSI-BLAST 101 Results	m Results	-			Reline Search	Search	/ 105 p	105 page(s) [2093 row(s))93 row
Search in Source DB	DB ▼ celumn for	Prev. Next						SSV :	csv 🎚 Export
Text: PAGES: First 1 2 3	រឿមស្រាស្រាស់	ह्न्य किंदि केंदि केंदि	STEEL VERY SEE TOS 181 18	oped Media		_		770	
Links	Source DB Code	Description	Organism	Central Region			Christer	D Pu	E-Value
F RSO RSA RR DP GenBank		AAA51735.1 andragen receptor	Нопо зарісоз	730 15			AAAS1735.1 31	31 2	6.0E31
Screens RSO RSA RR DP GeoBank		1	Ното sapiens	Z L16	283-578 - 53	535-736	51201d	2 18	6.05-31
ARIA BASO RSA RR DP GeoBank		AAAS1775.1 androgen receptor	Ното зарівов	918			P10275	31 2	6.0B3
F RSO RSA RR DP GenBank		AAD45921.1 androgen receptor	Homo sapiens	st 906	192-578 41	410-775	-51201d	31 2	6.0E-31
RSO RSA RR DP S'	뒃	Mineralocorticoid	Homo sapicas (Human).	984	9K 18E-19	307-682	P08235	34 2	8.0B-31
TRSO RSA RR DP SI	RSO RSA RR DP SWISS-PROT 019052	Peroxisome proliferator ac	Oryctolagus curiculus (Rabini).	475 . 22	216-428 11 1-243		BAA98100,1 24	24 2 +	8.0E-31
NSO RSA RR DP GeoBank	enBank CAB61238.1	1 peroxisome proliferator ac	Crocodylus miloticus	393 22	274-428 6-	6-169	CAB61263.1 24	24 2	8.0B-31
	RSO RSA ER DP SWISS-PROT 097776	Androgen receptor	Bulennir fulvus collaris (Collared brown lemir).	884	102 - 578 39	654-966	2 16 2 901.60	31.2	1.0E-30
CNI	RSO RSA RN DP SWISS-PROT P49843	Glacocorticoid receptor (G	Oncorbynchus mykiss (Rainbow trout) (Salmo gairdneai).	758	22 177 -577	Z84-6ZI	P49843	34 2	1.0B-30
S RSO RSA RR DP GeoBank		AACS2143.1 nucleur orphan receptor HZ	Ratus norvegious		H 666-951	146 – 596	AAC52143.1 24	24. 2-1.	1.0E-30
FISO NSA XR DP GenBank		AAA62110.1 PPAR gamma	Mus musculus	475 21	216-428 1-	1-243	BAA98100.1 24	24 2	1.08-30
RSO RSA AR DP	RSO RSA RR DP SWISS-PROT 073673	Guescorticoid receptor (G	Paralichthys offwaceus (Flounder).	208	33 - 285	969-168	£19£10	33 2	2.0B-30
RSO RSA RR DP GeoBank		AAG42362.1 progesterone receptor	Xenopus lacvis	732 83	23 52	009-87	AAG42362.1 28	28 25	2.0E-30
		1 peroxisome proliferator ac.,	Trachemys scripta elegans	393 20	274-428 6	691-9	CAB612631 24	24 2 1	2.0E-30
TESO RSA RR DP SV	RSO RSA BR DP SWISS-PROT P49699	Androgen receptor Dihydro	Oryctolagus cuniculus (Rabbit).	907	82-578 10	105-578	P49699	30 2	3,0B-30
S THE DEST AND THE DEST	RSO PSA RR DP SWISS-PROT 029131	Mineralneorticoid	Tupata glis belangeri (Commun 977	21.0	67 - 577 3%	365 - 845	161620	24	3.0B-30
RSO RSA XIR DIP	RSO RSA ER DE SWISS-PROT P49700	Ultraspiracle protein	Bombyz mod (Silk moth).	462 22	214-396 23	23-208	P49700	22 22	3.0B-30
Day ag. You wan	TOOL DEA. DO NO CUTSC. DR OF 1919.001	Androgen recentur	Wis mismits (Mouse).	200	219-578 45	456~76B D15207	, 206310	20.0	4 07-30

(2) (2) (3) (4) (5) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	7:38080/morph	shttp://bpdprd07.38080/morpheus2/Jsp/Index.Jsp	1			·	8 B	earch	Q Search So N
2. Home @ Netscape Q, Search & Shop : Cl Bookmarks	C Book marks	The second secon		A. C. L.					
	12. C (canium)	Homo saplans — suzi	n, 614 Eucaristori protein	ulig					
RMOBI PSI-BLAST 121 Results					Redin	Retire Search	105	age(s)	/ 105 page(s) 2093 row(s)
Search in Source DB	Selvan for	Prev Next						E ASS	- Export
PAGES: <u>Risil</u> 의(의(의)의	14 65 45 47	ह्म । ह्य	माछ।छ।छ।छ।छ।	1001	Prev Page Next Page	Page		8	:: :: 1
drianno control	Come	Leachnan	msmatton C				Christer		
NOTE THE THE PROPERTY OF THE P		AAC/8212.1 Hypothetical protein VCS.5	Caenorhabditis elegans	761	275 - 385	328-467	AAC78212.1 16	16 5	 8.
RSO RSA RR DP SWINS - PROT	042132	Estrogen receptor (ER)	Pagrus major (Red sea bream) (Chrysophrys major).	581	526-607	438-514	75 75 75 ms - 829	S .	2 問号
RSO RSA RR DP GeoBank	8.1	spalt transcription factor	Xenopus laevis	1377	113-477	324-646	AAG45108.1 10	10 5	207
RSO RSA RR DP PDB	3ERDIA	HUMAN ESTROGEN RECEPTOR AL	Homo sapiens	346	815 - 179	s-π.	10,00	11.5	2.0B-8
RSO RSA RR DP PDB	3ERD:B	HUMAN ESTROGEN RECEPTOR AL	Ното варієва	238	441-518	14-5	1QKU	2 5	20E-8
RSO RSA RR DP PDB	ERTA	HUMAN ESTROGEN RECEPTOR AL	Ното зарістя	247	441-518	8-1-3	10KU.	Ξ.	S-5: 2.08-8;
PDB TEST REAL TREE PROBET	ERR:A	HUMAN ESTROGEN RECEPTOR IL.	Homo sapiens	525	441-518	3-69	1QKU	2.	2.0B-8
RSQ RSA KR IDP PDB	10KT:A	MUTANT ESTROGEN NUCLEAR RE	Ното заріств	248	441-518	21-9	1QKU	2	2.0E-8
RSO NSA KR DP PDB	10KU:B	WILD TYPE ESTROGEN NUCLEAR	Homo sapieos	747	441-518	6-72	10KU	出場	S 2.0B-8
TESO REA RR DE POB	10KUIC	WILD TYPE ESTROGEN NUCLEAR	Homo sapieos	247	441 – 518	6-72	1QKU	11 5	2.0B-8
PDB PEARING PDB	1A52:A	RETROGEN RECEPTOR ALPHA LL	Homo sapiens	239	441-518	8	10KU	11 5	20E-8
rso rsa er de PDB	1A52:B	ESTROGEN RECEPTOR ALPHA LL.,	Homo sapiens	970	441-518	11-8	ıqku	11 5	2.0E-8
RSO RSA RR DP GeoBank	AAC25856.1	AAC25856.1 Hypothetical protein C33G8	Caenorhabditis elegans	82.	318-398	27-108	Z-108 AAC258561 18	<u>∞</u>	3.0B-8
The part of the part	TA A 28676 1 Not A AG	of miner	Иото стојева	,3,,	304	1014_1163	1114 - 1163 A A TOURS OF 111	ا :	9 00 0

CAA05410.2 3ERT	MGPENESPVGGEMWGRVCVESARQKRPRCSTLNSLLVARTCYNMLALVDWIEQDFKSTWR	09
CAA05410.2 3ERT	KAHVSLRGFLDFELGRRKEVAGAFLGGDTRPDPKKPRGGSKKNVEVYDDDVGSQAADSPG	120
CAA05410.2 3ERT	KRMAPKGTFRDKDKFEGLFKLGALVAKKALTPAFSCSPNRGSPLHAHYGDETLYKVESGP	180
CAA05410.2 3ERT	VNICEGGKRGVGIHPPDNYGDTLDENLGLPQKIVIKVKPQTEEANTWLRQDLKNHNSAKE	240
CAA05410.2 3ERT	AGGSDEIKTFVTGCKKDGHSGRKNMTTHDRNSKKWQRVNLSLMASLQLDSRGGRAGPRRG	300
CAA05410.2 3ERT	ARRICLVCEDYASCSNTCVWSCEAYKVEFRRSQSFTDPACFTNDCNISKNRSKSCPACLL 360	09
CAA05410.2 3ERT	RCLHPSINEIRKDKRAALKVRDNVGEEVDMTGPSWTCLKLLESDGEKVIPRLGHELPGIK 4 	420 346
CAA05410.2 3ERT	GGRQAKQQSHRGSPIPKNRKGWPPGHVLSNDGGAGGRVWKKKSCKPIRREGPKWWDRLN- 4 TNLADRELVH-MINWAKRVPGFVDLTLHDQVHLLECAWLEILMIGLVWRSMEHPGKLLFA 4	479 405
CAA05410.2 3ERT		520 463
CAA05410.2 3ERT	HWLAEQHHMRATGGKMAYLLIEEDIG-QHHGQGFPVMIJKISHTRHWVGGVAH 5 STLKSLEEKDHIHRVLDKITDTLIHLMAKAGLTLQQQHQRLAQL <mark>UL</mark> ILSHIRHMSNKGME 5 ******DIMER HELIX******	572 523
CAA05410.2 3ERT	CLYDMKEKKEVLPSWKVEKLGKYVETLRTEKEHRAAEASPQT 614 H <mark>LY</mark> SMKCKNVVPLYDLLLEMLDAHRLHAP 552	

Figure 8: Genome Threader alignment (3ERT numbering corresponds to position in the full-length sequence rather than crystallised domain)




Figure 9: Dimerisation helix is enclosed in dotted box.

|--|

Figure 10

Home El Nateman C. Seam		2									3	0
	Search S Shop TBook marks	S B	defventude (zenot)			***************************************	100		* :			
	ılts											view adgrungant
	die ion inch	N.	เหนาการ การการการการการการการการการการการการการก	ajuli sol ziagko								
Genome Threadern Results	Results					:			Rethn	Retine Searth	ged L/	(7) page(s) 1£8 roviks)
Search in Source DB		column for	Next							·	SS	csv - Export
PAGES: EICS 1 2 3	E211712131313171172		Peal Page									
Links	e DB	_	Description		Tength of	Popul	Terrat Region	8	E 5	Allyn Score	Alp. Les	Chates % ID Allys. Some Allys. Length Confidence
A LINEAR DESCRIPTION PLONE		_	HUMAN AMURUGEN KECEPTOR LI			- 576	100			nte	3	3 4
S REG ESA RA DE POB		\neg	CRYSTAL STRUCTURE OF THE R		. [1 - 107 - 1-20 - 1	1830	8 5	200	180	30
NSV IN DI		-	CRYSTALSTRUCTURE OF THE B.	8	ŀ			1		8 1	9 1	3 8
H ato res ext II		-	HIMAN PROGRESTERON RECEITIOR.	Homo sapiens		44-179	200	144		की	à	3
BOA IN BRICK POB		EJK:B H	HUMAN PROCESTERON RECEPTOR	Homo sepiens	249 41	412 - E99	1-110	1738	1020 299	83	157	92
BOA MAN DE POB	DB 1A28-A	-	CORMONE-BOUND HUMAN PROGES	Homo rapiens	251 41	ធា- ព	atz - +	. BZV1	1020		<u>6</u>	8
PUR REGISSA REGIST PUR	DB 1428;B	1	HORMONE-BOUND HUMAN PROCES	Homo espiens	249 41	613 - 139	1-139	1A28	10.20	88	197	100
F RSQ RSA RR DR	PDB BCF	JERD'B HI	HUMAN ESTROGEN RECEPTORAL	Homa sapiens	83	10-m	117-11	IQKU	U 14.50 287	192	23	100
THE PER PER BURE PDB		3ERT-A HI	HUMAN ESTROGEN RECEPTOR AL	Home sapiens	27.	m-m	9-247	1QKU	13.90	283	244	8
F ASQ PSA FRA DR. PUB		TERD-A HI	HUMAN ESTROGEN RECEPTOR AL	Homo sapiens	246 . 43	113 - 601	. 992-01	10K	1QKU-14	Z/3	242	. 8
T REQUESTIBLE P	PDB	DECU:A W	WILD TYPE ESTROGEN NUCL EAB	Homo sepiens	250	109 - 019	14-250	1QKU	2	6/2	242	138
BOA THE REALTH PDB	1	JOKU:B W	WILD TYPE ESTROGEN NUCLEAR	Homo sapiens	247 43	413-441	17:30	IOKU	*	612	275	8
FOR BEARING PDB		OKUC W	WILD TYPE ESTROGEN NUCLEAR	Homo aspiens	247 41	13 - 611	11-107	IQKU	4	622	242	180
PDB RSG RSA RR DE PDB	,	10KT:A M	MUTANT ESTROGEN NUCLEAR RE	Homo sepiens	248	109-CT	11-30	IOKU	14.50	0.2	275	+100
S LEGISSABILIT PI	PDB LAKE	1	HOMOLOGOUS-EXTENSION-BASED	N/A	237	NS - C79	4-237	1QKU	88	266	82	8
EGG ESABARA POB			HUMAN ESTROGEN RECEPTOR LL	Homo sapiens	235	-641 - 809	:: 312-61	- 1QKU	1580	529		180
BOA TO ASSA BYA DE		ERE'S HI	HUMAN ESTROGEN RECEPTOR LI	Homo espiens	** SEZ	643 - 839	धा-ध	10KU	15.80	SZ.	202	100
FOR REAL PURB		H STREET	HUMAN ESTROGEN RECEPTOR LI.	Homo sapiens	225	65-10	21. cz	10KU	15.80	652	es .	. 100
ET REG REA ER DE PUB	Γ	IERE,D HI	HUMAN ESTROGEN RECEPTOR LI	Homo sapiens	\$	44-199	12-Q	1QKU	15.80	83	22	130
ESA RR III	PDB - IER	ERE:E HI	HUMAN KETBOGEN RECEPTOR LI	Homo sepiens	¥	43-D#		HOKU		1580 259 1	8	130
ADD CLEAR		View Clipboard	ard									
	Traf 1 2 2 4 5 8 2 1 au	-	Heal Phen									
2	C. M. Willem		Sart By:									
Source DB	>		Confidence		-∏Descending -∏	il Bui						
		į		т								

A Home En Netscape Q, Search 2, Sinop , ChBook marks Relationship Results Spartings Continue House PSI-BLAST En Results Accessing code: RMOBI PSI-BLAST En Results.		tp://bpd	prd07:380,	C C C C C Lyttp://bpdprd07.38080/morpheus2/jsp/index.jsp					98 8 B	Search .	00	Ź,
Relation or the state of the st	O Search	h & Sho	o GIBoc	Knarks	The state of the s							
	mebits Bass	2		The state of the s	Contract Addition					\$	vlowallgnment	em.
		Sulfanns.	Supulsucity	ener pjusteleno) - stoplikaljustijis	The state of the s							
	RMQBI PSI-BLAST M. Results	Results.						Rethie Sparth	7	/ 96 paye(s) 1920 row(119201	(\$),440
0	Search in Source DB	W Contract	- column for	Prev Next						SS	Cov - Export	te
	(mai 12 13 19 19	515171819	120 (1721)	PAGES: mil 151919191919191919191919191919191919191	Preuleng Handlane							
Text	Links Si	Source DB	Sole		Ocymben	Longth	Query Begin	Tenget Regen	Chester	N Best	St. E-Value	4
	SEG REA ES DE SWISS-PROT PLICE	ASS-PROT		Rethole acid recentor gram.	us (Human).	ş	219-612	10-ct	AAH13709.1	12 5	1.08-43	¥
	REG. REA. R.R. DE S'WISS-PROT P19911	TORY-ROT	Т	Rethole addreceptor gamen	Mus museulus (Mauss).	83	240-197	8D-01	AAH13709.1 10	2	1 OB-43	9
II.	RSO RSA RR DP SWISS-PROT P22933	ASS-PROT	Т	Retirole acid receptor gran	Home septens (Human).	8	741-197	13.47	AAH13709.1 12	22	1.0B-43	8
J.	RED RSA RR DP SWISS-PROTI P20787	ASS-PROT	T	Retindo acid receptor gana.		7#	101=101	16-47	AAH13709.1 12.	-SZI	1.0E-43	ç.
T INSO	INST RSA ROLDE GenBank	aBeak .	130	T		8	248 - 157	10-40	AAH13709.1	10 5	1.08-43	₩
150	ASQ MSA NR DE GenBenk:	Т		leagest of the medicited I.m.	Notophthelmus viridescens	8	tag - stz	10-13	CAA49562,1	21	1.03	
NA.	PSQ XSA XR DP GenBenk	T		refinite acid recentor ab	Takituga rabinyes	120	136-611	20-6	CAB43870.1 11	11 S	208-43	Ÿ
	BOY NO BUT PDB		TERTA	HUMAN ESTROCEN RECEPTOR	Homo sapians	277	697-543	9-247	10KU 13-	13-	208-43	¥,
にに	REGINATION SWISS-PROT PLESTA	TSS-PROT	T	Secold recorder reven-to	Drosophila melanoguster (Fruit fly).	246	14-12	20-11	Ples76	12. 5-	3.018-43	₽.
	TORS THE SWISS-PROT	ASS-PROT		Steroid receptor homolog &	Brachydanio rerio (Zebrafish) (Zebra danio).	Ę	23. ES	24-H	OTTR8	13 5	30E-43	eg .
	NO REA ER DE GenBank	ľ	AAP1903.1	whrespirede	elhopietus	\$	205 - 195		AAF190331	. 5 25	3.02-43	9
で が に が に が に が に に に に に に に に に に に に に	PSQ PSA RR DP GenBenk		AAF80975.1	AAF80975.1 retunds add receptor genin.	Ambystoma mexicanum	£	341-197	16-47	AAFB0976.1	12 5	3.0E-43	약
	rso psa, an ar GenBank	T	AAB15740.2	prograferone receptor	Chemidophares unparens	878	321 - 189	1-1H	AAB3S7402	12	: 30E:	₩:
	PSQ 25A 28 IIP OenBenk		AAA99349.1	Noteben	Danio rezio	23	23.63	16-310	309.1	13 5	4.05-43	₩
Sa L	BOY SEA MR DE PDB	9	PRDA	HUMAN ESTROGEN RECEPTOR	Homo sapiens	97.	109 - 619	10 - 246	10KU	14	S03-43	7
	BOA NA NA DE POB		10KG:A	WILD TYPE ESTROGEN	Hamo sapiens	氖	113 - 611	14-230	10,80	14	S.EE-43	.
C	BOD NEW RAY DE POR		10KU:B	WILD TYPE ESTROGEN	Home sapiens	25	9	11-20.	1	16.4	SDB-43	
	REG REG RES DE POS		10KU:C	WILD TYPE ESTROGEN	Homo sapiens	242	733 - CEQ	192-11	1QKU	14	S.012-43	2
*	NEO REA THE STATES - PROT	TOM-SZIV	030773	ription factor	Oalbus gallus (Chicken).	₽:	248-600	m-m	ODSOILB .	22	\$0E-43	7
CIENTE I BE	RSQ RSA RR DE GenBenk		CAA60721.1	CAA60791.1 rethoic addressure	Xenopus lacvis	8	244-613	877-9	CAA60791.1 11	2	7.0E-43	~
ADD	ADD CLEAR	L	View Clipboard									
PAGES	Eng [2] 3 [0]	216121913	11011112	क्त्य 172 व्हर स्व स्व स्व स्व स्व स्व द्व व्य व्य व्य व्य व्य व्य व्य व्य	Prev Pare Heat Page							
Back to lon	len											
Fitter By:			Company of the American	Sort By:	entalisis (1998, 1998) — "Albert Berling" i Herbert Berling of the Company of the	State of the state						3 5

19/47

3ERT CAA05409.2 CAA05410.2	
3ERT CAA05409.2 CAA05410.2	
3ERT CAA05409.2 CAA05410.2	PRKQLAAKGTFRDKDKIEALFKLGELVAKKALSSALTWFPNSVSPLHAHYGDEILYKDES 176 PGKRMAPKGTFRDKDKFEGLFKLGALVAKKALTPAFSCSPNRGSPLHAHYGDEILYKVES 178
3ERT CAA05409.2 CAA05410.2	GLVNISEGGKRGVEIHPPDNFGITTLDEDLGFPQIIVINVKPQTEEANTWYRQDLKYHNS 236 GPVNICEGGKRGVGIHPPDNYG-DTLDENLGLPQKIVIKVKPQTEEANTWIRQDLKNHNS 237
3ERT CAA05409.2 CAA05410.2	
3ERT CAA05409.2 CAA05410.2	
3ERT CAA05409.2 CAA05410.2	


Figure 13 Part I

3ERT	GLLTNLADRELVH-MINWAKRVPGFVDLTLHDQVHLLECAWLEILMIGLVWRSMEHPGKL 402
CAA05409.2	GIKRGRQAEEESHRGSPIPKKRKGWPPGHVLSNDRAAAGTVWKPKSCEPIRREGPKWDAR 476
CAA05410.2	GIKGGRQAKQQSHRGSPIPKNRKGWPPGHVLSNDGGAGGRVWKKKSCKPIRREGPKWWDR 477
3ERT	LFAPNLLLDRNQGKCVEGMVEIFDMLLATSSRFRMMNLQGEEFVCLKSIILLNSGVYT 460
CAA05409.2	LNESTTFVLGSRANKALGKGGTRGRIYIKHPHLFKYAADPQD 518
CAA05410.2	LNESTPLFWGSRANKSLGKGGTRGRIFIKHPHLFKFAADPQD 519
3ERT	FLSSTLKSLEEKDHIHRVLDKITDTLIHLMAKAGLTLQQQHQRLAQL <mark>IL</mark> IL <mark>SHIRHW</mark> SNK 520
CAA05409.2	KHWLAEQLHMRATGGKMAYLLIEEDIE-QHHGQRFAVFILKISHIRHWVEG 568
CAA05410.2	KHWLAEQHHMRATGGKMAYLLIEEDIG-QHGGGFPVM <mark>LL</mark> KISHIRHWVGG 569
3ERT	GMEH <mark>LY</mark> SMKCKNVVPLYDLLLEMLDAHRLHAP 552
CAA05409.2	VAHC <mark>LY</mark> DMKVIQFVLPSWKVEKLRKYVETLRTENEHRAAEASPQT 613
CAA05410.2	VAHC <mark>LY</mark> DMKEKKFVLPSWKVEKLGKYVETLRTEKEHRAAEASPQT 614

Figure 13 Part II

S (S.Sauch)			Eas-seij S20-S37 S41-857	The state of the s
CC+ e+InterProScan%27O54745%27	ENS DÜTERANE. CED			ing on the state of the state o
Elle Edit View Search Go Bookmarks Tasks Help Elle Edit View Search Go Bookmarks Tasks Help (2) (3) (3) (4) (5) (5) (1) (1) (2) (5) (1) (1) (2) (5) (5) (5) (5) (5) (5) (5) (5) (5) (5	ICH PAGE QUEEN REGUES PROJECTS _VICAS DÂTGRANTS.	chesTable ∵	Q4114 Osfiel length 613 crok-tuksynxisosord Za-fager, C4-type servel (Femily) PRODON: <u>PROMSS</u> And Charreld PRAN: <u>PROMSS</u> And Charreld PRANS	
Elle Edit View Search Go Bookmarks Tasks Help S	₹•	Reset IpriMatches Table	The emy b from Treaten interferes Save Interfere Info Interfere Info Interfere Info Interfere Friendly	国 河 必 颐 Document Done (1 超5 secs)

2. Holing Bill discreption, Search 1, Singly Wave archiful in the good state of the search 1, Singly Expension and archive archives and archive archive archives and archive archives are also as a search 1, Singly Expension and archive archives are also as a search 1, Singly Expension and archive archives are also as a search 1, Singly Expension and archive archives are also as a search 1, Singly Expension archive archives are also as a search 1, Singly Expension archive arc	an an annual
2. Holing Pil Notosapo V, Sagari i S Stop V Diologicalidas The Care of the Ca	🔁 (St. Seancht)
Package 2.2 in the -14-citor) The control of the c	
Note Percent	3887] emb [caadS409. 2] p65 protein
Mouse-over to display more information Mouse-over boxes Mouse information Mouse-over boxes	acous marvegatum i (613 Letters)
Volume Approximate containing these densities Proceedings Procedings	reboss: ossi, ssp.vl.54 3693 FSSts) 718, 011 total columns
Single August graduate conclining these decades Single Sin	Mouse-over boxes to display more information
Single John principle constricts the standard beam and the sta	2pp 2pp 4pp 8pp
STOW Address concluding these denations to the factor of the factor	20-54 21-64
Stand by Continued 20 resources to supply gracines, and man a large to the first of the properties of	Show she preten concluing these demains
O pulsantinandicity 2 De Ct, of the finger in nuclear humans recepture 52 20-11 O pulsantinandicity 2 De Ct, of the finger in nuclear humans recepture 52 1 1-69 O pulsantinandicity 2 De Ct, of the finger in nuclear humans recepture 6 pulsantinandicity 2 De Ct, of the finger in nuclear humans recepture 6 pulsantinandicity 2 De Ct, of the finger in nuclear humans recepture 6 pulsantinandicity 2 De Ct, of the finger in nuclear humans recepture 6 pulsantinandicity 2 De Ct, of the finger of nuclear humans recepture 6 pulsantinandicity 2 De Ct, of the finger of nuclear humans recepture 6 pulsantinandicity 6 pulsantinandici	
### PAIR Act A	ZM. Cd. od rinc finger in nuclear homome receptors sf-Cd. Zinc linger, Cd 1770 (1770 domains). In nearly all esses
uery to multiple dilgement deplay Up to 10	<u>piΩnuclang 03399</u> ZaP _c Ct, of this fagor is malear homono receptors
CD-tength * 73 testidues, 94.57 a ligned Score * 63.5 bits (153), Deport * 25-11 Duary: 30 Rangescarrengescar	sequences most similar to the query
Duary: 303 LAWVEDVESSTROWSCENTYTTENS-DESTREED-THEORIES CROOLED 359 Solott: 4 PRIVEDVESSTROWSCENTYTTENS-DESTREED-THEORIES CROOLED 359 Solott: 64 Kelevour 350 Relevant 358 Solott: 64 Kelevour 372 BENNELLE SOLOTTING STANDER 72 BENNELLE SOLOTTING STANDER 372 BENNELLE SOLOTTING STANDER 372 BENNELLE SOLOTTING STANDER 373 BENNELLE SOLOTTING STANDER 374 BENNELLE SOLOTTING STANDER 374 BENNELLE SOLOTTING STANDER 377 BENNELLE SOLOTTING STANDE	CD-length = 73 residues, 94.5% alloyed Score = 63.5 bits (153), Expect = 20-11
Charty: 360 Relations 128 Solicit: 64 Relations 128 Solicit: 64 Relations 128 Solicit: 64 Relations 128 Solicit: 65 Relations	303 Lelvedtaegshtovsgeantyrpers-osttopad-tidentskirskedo-le 4 polycoppasothfoulsgrancapperstyglernykerkedopetidenorngragene
O gallPandianDioS. st-Ct, Zinc finger, Ct type (two domins). In reast, this is the DNA hading domins of a midear harmone receptor. The eligeneut emains two Zinc finger domins that us no discimiler to be aligned order to multiple alignment, display up to 10	360 RCLOPSDIE 64 KCLEVONOP
nery wandigie digman, display UP to 10 2 sequences most similar to the query modern strain = 76 residues, 84.2% aligned Sonce = 57.4 kite (131), Expect = 18-99 2 LGAVENTASISATAVENESATATAVENES—GETURA OLIMENDESISARSKERADILE	se a rando de la compacta de cesa, distribilidades de compacta de cesa, distribilidades de compacta de
D-Length = 76 residues, 84.2% aliqued Soure = 57.4 bits (137), Expect = 1s-09 303 Langenthermorphyraphas-German-moniscusskspanils 2 Langedrangentulation of proper structure of the structure of	
303 LGLVGZTASOSATVVVSCANTVPRRS——GETEPAGTEMOCHEKGRANDIGHALA 2. LGKVODIKASTIRNOVLYZEDKUFFRISTIKRAVFSGFRENDIGHEKGRANDIGHEALA LGKVODIKASTIRNOVLYZEDKUFFRISTIKRAVFSGFRENDIGHEKGRANDIGHEALA LGKVOZITASOSATENOVLYZEDKUFRISTIKRAVFSGFRENDIGHEKGRANDIGHEALA LGKVOZITASOSATENOVLYZEDKUFRISTIKRAVFSGFRENDIGHEKGRANDIGHEALA LGKVOZITASOSATENOVLYZEDKUFRISTIKRAVFSGFRENDIGHERGENDIGHEKGRANDIGHEALA LGKVOZITASOSATENOVLYZEDKUFRISTIKRAVFSGFRENDIGHERGENDIGHEKGRANDIGHERGEN LGKVOZITASOTANTOVLYZEDKUFRISTIKRAVFSGFRENDIGHERGENDIGHEKGRANDIGHERGEN LGKVOZITASOTANTOVLYZEDKUFRISTIKRAVFSGFRENDIGHERGENDIGHE	CD-Jenyth - 76 residus, 84.2% aligned Score - 57.4 bits (137), Expect - 10-09
361 -CL0 62 XCLE	303 LOJVEDYAGGSHTOVPSCEAPTAP PROSGETUPAGPIBOULISCHISKSEBAGLA 2 LGGVGODKASOTHTOVLTGEGKOFFIRSIQKIAPTSGFINGOTHEKNERREGGERK
	361 -CLO 62 XCLE



XIBI	The second secon	Seo [4]	7					94.00 N	.cFar	0.5			¥ 5	4.7	**************************************	(*)	مان کیو م	#1 92 %	1		33.	.3 K	r Cina	36	en)	ا الاراد الااا الااا الااا الااا الااا الااا الااا الااا الااا الااا الااا الااا الااا الااا الااا الاا الااا الااا الااا الااا الاال الاال الالاال الاال الالاال الاال الاال الاال الاال الاال الى الاال الى الاال الى الاال الاال الاال ال الاال ال	rghiga	15. 377			100	ज्या । ज्या	s ()	The state of the s
The state of the s	I I I I I I I I I I I I I I I I I I I			BETTER than threshold	20 20 20 20 20 20 20 20 20 20 20 20 20 2	(bits) Value	17.6	377 -103	369 e-101	7e-97	347 2e-94	٠,	345	345	342	342 66-53	340	1 65	338 16-91			327 36-88		325 1e-87	•	323 46-87			•	318 2e-85	317 3e-85			a
27 RIO = 1022352434-018059-2264-914753897 emb CAA05509.2] + Microsoft Internet (splerer File Eta Wew Foontse Tock Heb	A Caria Sep Ref	.gov/blast/Blast.cgi		Sequences with E-value BETTER than threshold		Sequences producing significant alignments:	91119705523[ref]NP 599227.1[● N: <u>gilgg33777/ref[NP 060002.1]</u> (NB 017532) p65 protein [#cmo maplen ● N: H19526926 ref[NP 508524.1] (NR 133783) PIXRN cDN3 6490706673 [q1[16418441[ref[NP 443183.1]	K 911139368241401AAK49953.11 (A	Þ		M gri 20141292 ep 09X8U2 ESR2 P1	41 20373102 db 11 BAB91218.1	Z D		-	Þ	D	-	A gill66156 sp Q62986 ESR2 RAT Estrogen receptor beta (ER-beta)		g4 10835013 ref NP 001428.	D.	6 7 gil3091286igblAAC15239.11 (AF060555) estrogen receptor beta 3 19				E at 133241951 splp57783 [ESR3 HICEN Est.	O E gij 13124208 spig85171 ESR CALVA Estrogen receptor beta (ER-beta	D	-	(v. 91113749319191918AKIB/747.1]	r, galasuseus kerink udulis.1 (nm udulis) estrocen keceptor 1, est

oure 16

The Hone Environment of Search & Shop Deckmarks Fig. 16. And Stop of Part of Stop Deckmarks Louds Canada Spirota Rate Light 73387 Louds Canada Spirota Rate Light 73387 Louds Canada Spirota Rate Light 18 and Part of Stop Deckmarks Rate Rate Rate Rate Rate Rate Rate Rate
OS pós joven [Rart_[gist738877] CANGGUG GAS protein (Rattus norvegistus) GAS portein (Rattus norvegistus) CANGGUG CANG
613 as Linear Cabalding Portable Discourage Cala as Cabalding Protestin (Ractus norvegicus). Chalding Cal. 4753887 Chalding Cal. 4753887 Chalding Pack. Rorey rat. Rorey rat. Rorey rat. Rorey rat. Rorey rat. The Capalding Packers of Chalding Packers of Chald
Rattin. 1 (residue 1 to 6.13) Entouselt, H., Stenren, J., Adams, A. K. and Walmandt, S.
The encofetal protein p55: a new member of the steroid/thyroid
Receptor experimently Connect neteric. 18 (2), 94-102 (1996) 92623392
2 (residue 1 to 61.3) Entruesic, H. E.
Direct Submission. Submitted (25-072-1997) Expansely H. E., Garcingensels, Indversity of Years M.D. Anderson Cancer Oentear, P. O. Box 1999, Smithville,
(residue 1 to 613)
Bennack H. E. State Stat
TEXTS, 1955, USA PERTSAGE UP 15 4 (Testidues 1 to 613)
Hannack, H. E. Direct charlesion Submitted (G4-MNV-1999) Hansursk H. E., Carcinagenesis, University
of Texas B.C.). Anderson Cancer Centur, P.O. Box 389, Smithrills, Texas B. 1955, 188 The Lay S. 1959 this sectuates version realtened of S687717.
nns Location/hualifiers 3. each and 1. 613
/organian-Natus norganisms /strain-Vistain-Vistas 344- //D. xrof-"taxon.10116- //call_ins="ISX Applocarcinass" protesin 1. 6.11 inte="ISX Applocarcinass"
/coded_by=*1,002424. 2:107. 1948*
i advenorasą gdarekvrie sucyticost knalivarco vilibodzieg dikatrokkah 61 valegydzie ingertezen gdagelingi phykograpt i newygdze geadapick 121 lasagictek dispolity elimkkalisa tivfinava plikagoda lakkasgia. 181 sasagictek dipolityt elimkkalisa tivfinava plikagoda lakkasgia. 261 systaktyke tipolityti elimkagi esantzerie lakkasgia. 261 systaktyke nemickaja entaktyka janaladat ganaginga. 261 systaktyke nemickaja entaktyka planaladat ganaginga.
upsineii küraalivo doopavalte giverillii fedaksopt länkiysile rpassaks poppiolisty poppiolista tasapavap teseptiona populaise kustapioni kaupintii ryvikimit kyvaalopta lalaqilara toppavalist kustapioni tivetiikka hitimvapva kojyahvat fetysakvak lirjavalite

Figure 17






Figure 18: relationships between 3ERT:A, CAA05410.2 (LBDG5), BAB62888.1 (LBDG11), AAH03486.1 (LBDG12) and AAK49953.1 (LBDG13).

3ERT CAA05410.2 BAB62888.1 AAH03486.1 AAK49953.1	(LBDG5) (LBDG11) (LBDG12) (LBDG13)	
3ERT CAA05410.2 BAB62888.1 AAH03486.1 AAK49953.1	(LBDG5) (LBDG11) (LBDG12) (LBDG13)	AGAAGQPVLTNPWNIMIKHRQVQRRGRRSQMTTSFTDPACFTNDCNISKNRSKSCPACLL 360 AGAAGQPVLTNPWNIMIKHRQVQRRGRRSQMTTSFTDPAISMDLL 70 AGAAGQPVLTNPWNIMIKHRQVQRRGRRSQMTTSFTDPAISMDLL 70 AGAAGQPVLTNPWNIMIKPRQVQRRGRRSQMTTSFTDPAISMDLL 70
3ERT CAA05410.2 BAB62888.1 AAH03486.1 AAK49953.1	(LBDG1) (LBDG11) (LBDG12) (LBDG13)	VSALLDAEPPILYS 329 RC-LHPSINEIRKDKRAALKVRDNVGEEVDMTGPSWTCLKLLFS 403 RAVLQPSINEEIQTVFNKYMKFFQKAALNVRDNVGEEVDAEQLIQEACRSCLEQAKLLFS 130 RAVLQPSINEEIQGVFNKYMKFFQKAALNVRDNVGEEVDAEQLIQEACRSCLEQAKLLFS 130 RAVLQPSINEEIQSVFNKYMKFFQKAALNVRDNVGEEVDAEQLIQEACRSCVEQAKLLFS 129
3ERT CAA05410.2 BAB62888.1 AAH03486.1 AAK49953.1	(LBDG5) (LBDG11) (LBDG12) (LBDG13)	EYDPTRPFSEASMMGLLTNLADREL-VH-MINWAKRVPGFVDLTLHDQVHLLECAWLEIL 387 DGEKVIPRLGHELPGIKGGRQAKQQ-SHRGSPIPKNRKGWPPGHVLSNDGGAGGRVWKKK 462 DGEKVIPRLTHELPGIKRGRQAEEECAHRGSPLPKKRKRRPPGHILSSDRAAAGMVWKPK 190 DGEKVIPRLAHELPGIKRGRQAEEE-SHRGSPIPKKRKGRPPGHVLSNDRAAAGMVWKPK 189 DGEKVIPRLAHELPGIKRGRQAEEE-SHRGSPIPKKRKGRPPGHVLSNDRAAAGMVWKPK 188

Figure 19 PartI

Figure 19 PartII








Figure 22

POTENT THER VIEW WEEKETON NEW TOTAL THE

e-174 E-173 E-173 E-173 E-113 E-113

 © P. ail16419441]red1NP 443183.11 (NR 052951) TdT binding processin; no...
 612

 © F. ail19256676]red1NP 599524.11 (NR 133763) RixzN cNNA 6430706613 [... 600
 600

 © F. ail1329662416011AR49953.11 (NR 134901) unkmown [Rattus norvegicus]
 586

 © F. ail197055231red1NP 599227.11 (NR 134400) p65 protein [Rattus nor... 432
 67

 © F. ail195052631red1NP 560002.11 (NR 134400) p65 protein [Rattus nor... 432
 67

 © F. ail13653871red1NP 560002.11 (NR 134400) p65 protein [Rostein flows sopien... 235
 67

 © F. ail13653871red1CACAT421.11 (ALD50348) d444773.4.2 (novel protein... 235
 68

 © F. ail13653871cmb[AA74765.11 (ALD50348) d444773.4.3 (novel protein... 225
 68

 © F. ail13622671qallAA74765.11 (ALD50348) d444773.4.3 (novel protein... 225
 68

 © F. ail252598961cmb[AA74765.11 (ARD03478) C61248 gmm product [Prosop... 226
 68

 © F. ail73522671qallAA74765.11 (ARD03478) C61248 gmm product [Prosop... 226
 68

 © F. ail73522671qallAA7476.12 (ARD03478) C61248 gmm product [Prosop... 226
 68

6e-58 2e-47

Sequences with E-value DETIER than threshold

۵ž

O £

©j≅

Ø.

South Povorbes

₹]}

⊕ §

®₽

Û.

He Edt. Yew Favortes Ipols

X +NT 4.0 Desktop

Address (2) http://www.nds.nhn.nh.gov/blast

Bit 118t size 100

E Value Score (bits)

producing significant alignments:

diad.	.60	· ·	ीर गुज्ज लखेरकार	72			7. J.	ike P		iga zane	
0.023 4	0.14	2.1	2.5 G	S:8	9.0 E	9:50	6.1		The second secon	The second secon	
# 8 0	R	의 위 지	۶ ۶ ۲	12	34	E)	8			10	
9117555250[ref]NP 499042.1] (NK_066641) T2365.6.p (Coenorhabd1t	41 15220680 refine 173737.11 (NK 102172) conserved hypothetical	<u>#112829995[db][AkCOD693.11</u> (ACOD2311) hypothetical protein [Ardbi #117026229 <u>emb]CAC683682,11</u> (AkJ305314) AbART3-13 protein [Homo 9	#117146513 emb CAD12729.1 (AJ420810) ADANTS-13 procein, varian		of 117148515 emb CAD12730.1 (AJ420811) ADANTS-13 procein, trunca	gill5888941 ref NP 354622.1 (NC_003062) AGR_C_3005p [Agrobacter	#189225111ref[NP 060605.1] (NH 018135) mitochondrial ribosomal	PSHBlast flerellon 11	the second secon	Pinzi Ecst - Morsoft int (@Rid=1022886590 468-1	23

Sequences with E-value HORSE than threshold

Ron PSHBlast iteration 11

00000000000

Figure 23

Efficient Divinities - Moosof

Run PSHBlast iteration

5186717&dopt=GenPept 3 (G.Search) So N

Chrous Control of the Control of the

HALLON TO THE PARTY OF THE PART

8

linear PRI 15-AUG-2001

329 aa Tur binding protein [Homo espiens]. BAB62888 BAB62888 1 01:15186717 Locus AB035676 eccession AB035676 L

LOCUS
DEPINITION
ACCESSION
VERSION
DESOURCE
NETVOROS
SOURCE
ORGANISH

Display default Save Text Add to Clipboard

Seams Protein

T 1: BAB62888. TdT thading prote. [gi15186717]

Heng Replens Reproper, Stockers, Condeter, Grandster, Vertebreter, Eutelesstmai, Henralds, Eutheris, Prinales, Gebarthini, Hamindes, Hone. Henralds, Eutheris, P. 239) Tenahita, H., Shinaradi, H., Das S., Kando, R., Tanabe, A., Dogodo, I., Pujite, K., Basegere, T., Toji, S., Tanai, K., Tananoto, H.

Torninal decoymuchectidyltransferase directly interacts with a newal mechan protein that is hambogue to pES (2001) 456736.

TILE

FEATURES

ä

Protein


(2) (3) (3) Shittp://www.ncbi.nlm.nlh.gov/entrez/query.fcg/?cmd=Retrieve&db=c2.Home EnVerscape & Search it Shop : Elbookmarks


File Edit View Search Go Bookmarks Tasks Help

RNCBI Sequence Viewer - Netscape 6

Proteiner | Write to the Hylo Deris MCB | NLM | Hill 1 1445-525.
2 (residues 1 to 329)
S Transbits, N. Transbot, H. and Koirat, O.
Direct Submission
1. Shariston (19-1929) Wangudi Yanashita, Science University of
Tokyo, Department of Applied Hiddrical Science, 2541 Transchi,
Hoda, Chila 2718-2519, Jupum (F-anii sautarous)georities. co.jp.
Tokyo, Department of Applied Hiddrical Science, 2541 Transchi,
Hoda, Chila 2719, Transport, 1977
1. 10-akion/(Chalifiers)
1. 10-akion/(Chalifiers)
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1. 10-329
1 1 npatcheen repsensing lalpdapan qivlmyeni midhreyurr 6 topanadil renganan qivlmyan etitohinya kitchaluw remoperan 12 olaqabili qencipit la hajqiter qeseeshir galpkiriqi 18 nagawiya etapitreng kedquarlina titchiqaran kalayayiri 201 kyasqoqda alsaqhara teppopaylii sedirdlasa dayqoldik. 国 🔾 总 (年) (年) [1] Document Done (2077 sens) Revised, October 84, 2001. Protein

Figure 24





Be Ed. Jun Ruchas 1995 Hab
会」、
다 www.rdd.rina.nh.gov/best/fizat.cd
Results of PSI-Blast iteration 10
No new sequences were found above the 0.005 threshold!
Distribution of 13 Blast Hits on the Onery Sequence
Mouse-over to show define and scores Click to show alignments Color Key for All process. Scores (20) (10-50) (20-50) (20-50)
1,2123 6 50 140 150 240 250 340
Legend: **C - means that the alignment score was below the threshold on the previous iteration **G - means that the alignment was checked on the previous iteration **Tun PSH distinguish **Tun PSH distin
Bit 13st site [250
Sequences with E-value BRITER than threshold
Score E
Sequences producing significant alignments: (bits) Value
9 R. ali19526976irefinp 599254.11 (NR 133763) Rikzh chu 6430706C13 [584 e-166 L] 9 R. ali16418941irefiny 443183.11 (NR 052951) Taf binding protein; no 590 e-165 LB 9 R. ali13936824 (n) Auk49957.11 (Ary 49701) umbore (Rattus norregius) 561 e-159 LB
<u>41187055231ref[NP 599277.1] (NB 134400) p65 protein [Battus nor 396 e at [6923777]ref[NP 060002.1] (NB 017532) p65 protein [Bamo sepien 382 e</u>
Mich. Contractor Norworkin. (Sixto-unzitange-014

igure 27

Section 1975	STIER than threshold Score E (bits) Value	584 e-166 b 550 e-165 c 561 e-156 c 392 e-105 c 373 e-105 c 218 7e-56 210 2e-55 c 219 1a-49 c 72 7e-12	VOUSTE than threshold	33 6.6 3 32 7.7 3	ints	ulus] ulus] s musculus] culus]		en mende de la Company Special de Company de de la Mandal de Carlos de la Carlos de des de Carlos de la Carlos del Carlos de la Carlos
Do Ed. 19th Epprise 2008 19th Co = C	Sequences producing significant alignments: (bits) Value	⊕ Example (119526976 Ref. Ref.	Run PSF-Blast iteration 11 * Sequences with E-value WIBSE than threshold		Alignments		Score = 584 bits (1505), Expect = e-166 Identities = 328/328 (100%), Positives = 328/328 (100%)	Quety: 1 Koatodizopropgalrggilgdigdigalgdylanputikhrgworrgropsommonettsf 60

Figure 28





Fig. Edit View Spectra Control Edit View Spectra Con
--

8 TOP 64 COLERY | SECUES | FRANCIS | VEWS | DATABANG In G. A. 94 (Rg) Document Dane (1,758 sees)
Figure 30 Quey "([interProSeus-JohSenalt] & [interProSeus-JohName.temp]]" found 1 enries SRS 6.1.3.10 | feedback (3) (1) (2) (3) Shittp://srs.ebl.ac.uk/srs8bir/o Cle Edit View Search Go Bookmarks Tasks Help Ť G en all bur edected Save
Save

Save

| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200
| 1200 Reset





भा करें हैं। भा	I. t. A Total States		
B B B B B B B B B B	Sequences with E-value DETER than threshold Score L (bits) Value	INM_133763 RIKEN CDNA 6490705613 [606 e-172] INM_052951 TdT binding protein; no 600 e-171 [] INM_134900 pis protein provegatus] 558 e-170 [] INM_134900 pis protein [Rattus nor 432 e-170 [] INM_134900 pis protein [Rattus nor 432 e-170 [] INM_134900 pis protein [Rattus nor 432 e-10 [] INM_134900 pis protein [Rattus nor 432 e-16 [] INM_134900 pis protein [Protein f 393 e-10 [] INM_134900 pis protein [Protein f 393 e-16 [] INM_134900 pis protein [Prosop 420 [] INM_134900 pis protein [Protein [] INM_134900 pis protein []	(NH 066641) 72365.6.p [Genorhabdit 40 0.034 1
The Ed. Van Frankes Took Hab	Sequences producing significant alignments:	9 F. g1119526976 [ccl/INP_559524.1] (NN_133763) RIEKN CDNA 6430706C13 [9 E. g1116618491 [NN_1363.1] (NN_052951) TdT binding protein no 9 F. g113936231 [act/INP_55953.1] (NN_05091) Rinchow [Ractum norvedicus] 9 F. g11292523 [act/INP_56925.1] (NN_134400) p65 protein [Ractum norvedicus] 9 F. g11292523 [act/INP_66002.1] (NN_07753.1) p65 protein [Ractum norvedicus] 9 F. g112465387 [act/INP_66002.1] (NN_050348) d144773.4.2 (novel protein f 9 F. g112553966 [amb[CAC17442.1] (LL050348) d144773.4.3 (novel protein 9 F. g117292267 [amb[AMA1767.1] (LL050348) d144773.4.3 (novel protein 9 F. g117292267 [amb[AMA1767.1] (LL050348) d144773.4.3 (novel protein 9 F. g117292267 [amb[AMA1767.1] (LC003475) (G1248 gene product [Drosop 9 F. g17292267 [amb[AMA1767.2] (S22307) p65 [Romo saplema]	Sequences with R-value [] q112552550[ref]NR 499042.11 (NR 066641) T2365.6.p [Cemorhabdit [] q1120536211[ref]NR 699042.11 (NR 066641) T2365.6.p [Cemorhabdit [] q115252631[def]NR 12727.11 (NR 102172) conserved bypothetical [] q115252631[def]NR 12727.11 (NR 102172) conserved bypothetical [] q112829895[qb]AAC00603.11 (NR 102172) conserved bypothetical [] q1121265995[ref]NR 620595.11 (NR 139027) a disintegrin-like and [] q1121265995[ref]NR 620595.11 (NR 139027) a disintegrin-like and [] q1121265996[ref]NR 620595.11 (NR 139027) a disintegrin-like and [] q1121265996[ref]NR 620594.11 (NR 139027) a disintegrin-like and [] q1121265996[ref]NR 620594.11 (NR 139027) a disintegrin-like and [] q1121265996[ref]NR 620594.11 (NR 139027) a disintegrin-like and [] q11125911cef]NR 620594.11 (NR 139027) a disintegrin-like and [] q11125911cef]NR 620594.11 (NR 139028) a disintegrin-like and [] q11125911cef]NR 620594.11 (NR 139028) a disintegrin-like and [] q11125911cef]NR 60057.11 (NR 139028) a disintegrin-like and [] q11125011cef]NR 60057.11 (NR 07697) cuttoit collagen [Cemorhabditi [] q119525111cef]NR 60057.11 (NR 07697) cuttoit collagen [Cemorhabditi

Figure 33

2 The state of the s BUM, Nucleottis, Retried Sequences, Taxonomy, LimCui (ই) (ই) (ই) (ই) বি Nhtp://www.ncbl.nim.nih.gov/entrez/query.fcg/?cmd=Retrieve&dt=protein&list_ulds=19936824&dopt=GenPept ন্ত্ৰা (ব্ৰ-Search) 2 Home En Netscape iq. Search is Shop i EdBokmarks Protein Go Clear linear ROW 03-HAY-2001 Provided to 237) Replay R. P. Creathers to 237 Replay R. P. Waller Excet. Indianapolis. IN 46202. USA Reticion 978 T. Waller Excet. Indianapolis. IN 46202. USA Reticion 978 Reticion 978 Reticion 10 Reticion Moreay rak. <u>Bathen moreacies</u> Pakaryota, Katazota, Chordota, Graniaka, Wertahrata, Euteleostoni, Momealia, Eutheria: Rodentia, Sciurognathi; Murideo, Murinas) 1...37. //organism="Rattus norvegicus"
//organism="Rattus"
//inseus_type="uterus"
1...37. //ordate="uterus"
1...37. //ordate="uterus"
1...37. //ordate="uterus"
//organism="staliar to films septions d144773.4.1 protein:
OenBank Accession Number th011441: in (residues 1 to 327) map, X., Bighyly, B., mad Nopkev, R.P. It novel gene identified from uterus, highly expressed in ret proteite and CHS tissue 000 000000 Sauch Protein 1 er |
Lians
Display | Default 1 Save | Text | Add to Clipboard. 1 ngetydogo poptaariog nognagaago poltoponia idoi 61. douardil sulpointe igentifore fifthamer devi 121 vegetilied gevoprila elgetitogo sesabeceo pipo 181 agentylies epitregolo doulneste folgranda igos 181 aadoptikul sephurang opanyliase diridaased yrge 301 medoptikul sephurang opanyliase diridaased yrge File Edit View Search Go Bookmarks Tasks Help 国 G. A 全 题 Dooment Done (1388 sets) AAK49953.1 0I:13936824 Locus AF348701 accession AF348701.1 AAK49953 327 am unknown [Rattus norvegicus]. AAK49953 图NCBI Sequence Viewer - Netscape 6 T. 1: AAK 49953. wharm [Ratus n...[gi13936824] Sauch Protein Protein CDS JOURNAL AFFERENCE AFFERENCE AFFERENCE JOURNAL JOURNAL




Figure 35




Figure 36




Figure 37




Figure 38

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
□ OTHER: □ OTHER:

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.